

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-610
 Product Name: Lipoprotein Lipase (LPL) Activity Assay Kit (Fluorometric)
 Recommended Use: Laboratory Research Reagents

MANUFACTURER:

Cell Biolabs, Inc.
 7758 Arjons Drive
 San Diego, CA 92126

EMERGENCY CONTACT:


+1 858 271 6500
 info@cellbiolabs.com

SECTION 2. HAZARDS IDENTIFICATION

10X LPL Assay Buffer (Part No. 261002): Two 1.5 mL vial
LPL Enzyme Standard (Part No. 261004): One 25 µL vial

Classification:


Acute toxicity, Oral, Category 2 (H315)
 Eye irritation, Category 2 (H319)
 Specific target organ toxicity (single exposure) - Respiratory system, Category 3 (H335)

Pictogram	
Signal Word	Warning
Hazard Statements: Causes skin irritation (H315), Causes serious eye irritation (H319), May cause respiratory irritation (H335).	
Precautionary Statements: Avoid breathing dust/fume/gas/mist/vapors/spray (P261), Wash skin thoroughly after handling (P264), Use only outdoors or in a well-ventilated area (P271), IF ON SKIN: gently wash with plenty of soap and water (P302 + P350), IF INHALED: remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), Call a POISON CENTER / doctor if you feel unwell (P312), If skin irritation occurs: get medical advice/attention (P332 + P313), If eye irritation persists: get medical advice/attention (P337 + P313), Take off contaminated clothing and wash before reuse (P362), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).	

Stop Solution (Part No. 261003): Two 1.5 mL vials

Classification:

Flammable solids, Category 2 (H228)
 Acute toxicity, Oral, Category 4 (H302)
 Acute toxicity, Inhalation, Category 4 (H332)
 Skin irritation, Category 2 (H315)
 Serious eye damage, Category 1 (H318)
 Specific target organ toxicity - single exposure, Category 3, Respiratory system (H335)
 Acute aquatic toxicity, Category 2 (H401)
 Chronic aquatic toxicity, Category 3 (H412)

Pictogram	
Signal Word	Danger
<p>Hazard Statements: Flammable (H228), Harmful if swallowed or inhaled (H302 + H332), Causes skin irritation (H315), Causes serious eye damage (H318), May cause respiratory irritation (H335), Toxic to aquatic life (H401), Harmful to aquatic life with long lasting effects (H412).</p>	
<p>Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Ground/bond container and receiving equipment (P240), Use explosion-proof electrical/ventilating/lighting/equipment (P241), Avoid breathing dust/fume/gas/mist/vapors/spray (P261), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER / doctor if you feel unwell. Rinse mouth (P301 + P312 + P330), IF ON SKIN: wash with plenty of soap and water (P302 + P352), IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER / doctor if you feel unwell (P304 + P340 + P312), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), If skin irritation occurs: get medical advice/attention (P332 + P313), Take off contaminated clothing and wash before reuse (P362), In case of fire: use dry sand, dry chemical or alcohol-resistant foam to extinguish (P370 + P378), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).</p>	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

10X LPL Assay Buffer (Part No. 261002): Two 1.5 mL vials

LPL Enzyme Standard (Part No. 261004): One 25 µL vial

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Compound A	100-250 mM	

Stop Solution (Part No. 261003): Two 1.5 mL vials

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Compound B	1-5%	

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO₂
- Special protective equipment: Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.

- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - Proprietary Compound A: LD50 Oral - rat - 14.500 mg/kg, LC50 Inhalation - rat - 4 h - 40250 ppm, LD50 Dermal - rabbit - > 5.000 mg/kg
 - Proprietary Compound B: LD50 Oral 5.900 mg/kg (rat)
 - Proprietary Compound C: LD50 Oral 1.288 mg/kg (rat); LC50 Inhalation >3.9 mg/m³ (rat); LD 50 Dermal 580 mg/kg (rabbit)
- Skin corrosion/irritation
 - Proprietary Compound C: Irritation (rabbit)
 - All other hazardous components: no data available
- Serious eye damage/irritation
 - Proprietary Compound C: Risk of serious damage (rabbit)
 - All other hazardous components: no data available
- Respiratory or skin sensitization:
 - Proprietary Compound C: May cause respiratory irritation

- All other hazardous components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - Proprietary Compound A: Toxicity to fish: LC50 34.000 mg/l - 96 h (Pimephales promelas), LC50 35.000 mg/l - 96 h (Oncorhynchus mykiss); Toxicity to daphnia and other aquatic invertebrates: EC50 27.500 mg/l (Daphnia pulex); Toxicity to algae: EC50 > 400.000 mg/l - 96h (Lepomis macrochirus)
 - Proprietary Compound B: no data available
 - Proprietary Compound C: LC50 3.6 mg/L in 96 hrs (rainbow trout); mortality NOEC 19.5 mg/L in 96 hrs (rainbow trout); mortality LOEC 4.6 mg/L in 8 days (fathead minnow); growth inhibition LOEC 2.68 mg/L in 6 days (algae)
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION - IATA

- Hazard Class: Not Hazardous

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/29/2023