

Material Safety Data Sheet

SECTION 1. PRODUCT IDENTIFICATION

Catalog Number: CBA-120 and CBA-120-5
Product Name: CytoSelect™ 24-well Wound Healing Assay

MANUFACTURER:

Cell Biolabs, Inc.
7758 Arjons Drive
San Diego, CA 92126

EMERGENCY CONTACT:

+1 858 271 6500
info@cellbiolabs.com

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

1. 24-well Wound Healing Assay Plate (Part No. 112001): Two 24-well plates containing 12 wound field inserts each – Non-Hazardous
2. Cell Stain Solution (Part No. 11002): One Bottle – 10.0 mL
3. DAPI Fluorescence Stain (1000X) (Part No. 112002) One vial – 30 µL
4. Fixing Solution (Part No. 122402): One Bottle – 20 mL

HAZARDOUS INGREDIENTS

Cell Stain Solution (Part No. 11002): One Bottle – 10.0 mL

Crystal Violet 0.09 %

Fixation Solution (Part No. 122402): One bottle – 20.0 mL

Formaldehyde 3.2 %

DAPI Fluorescence Stain (1000X) (Part No. 112002) One vial – 30 µL

2-(4-Amidinophenyl)-6-indolecarbamide dihydrochloride 0.1 mg/mL

SECTION 3. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT

BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. SAFETY HANDLING PROCEDURES

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.

SECTION 6. ACCIDENTAL RELEASE MEASURES

EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).