

Material Safety Data Sheet

SECTION 1. PRODUCT IDENTIFICATION

Catalog Number: CBA-300, 301, 302
Product Name: StemTAG™ Alkaline Phosphatase Assay Kit

MANUFACTURER:

Cell Biolabs, Inc.
7758 Arjons Drive
San Diego, CA 92126

EMERGENCY CONTACT:

+1 858 271 6500
info@cellbiolabs.com

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Kit Components

1. Fixing Solution (Part No. C30001): One 50 mL bottle
2. StemTAG™ AP Staining Solution A (Part No. C30002): One 20 mL amber bottle — Non-Hazardous
3. StemTAG™ AP Staining Solution B (Part No. C30003): One 20 mL amber bottle — Non-Hazardous
4. StemTAG™ AP Activity Assay Substrate (Part No. C30004): One bottle – 5 mL — Non-Hazardous
5. Cell Lysis Buffer (Part No. C30005): One bottle – 20 mL
6. 10X Stop Solution (Part No. C30006): One bottle – 10 mL
7. AP Activity Assay Standard (Part No. C30007): One tube – 1 mL of 5 mM p-Nitrophenol

HAZARDOUS INGREDIENTS

Fixing Solution (Part No. C30001): One 50 mL bottle.

Formalin **10%**

Cell Lysis Buffer (Part No. C30005): One bottle – 20 mL

Triton X-100 **0.5%**

10X Stop Solution (Part No. C30006): One bottle – 10 mL

NaOH **10 N**

AP Activity Assay Standard (Part No. C30007): One tube – 1 mL of 5 mM p-Nitrophenol

NaOH **0.02 N**

SECTION 3. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. SAFETY HANDLING PROCEDURES

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.

SECTION 6. ACCIDENTAL RELEASE MEASURES

EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).