

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-390
 Product Name: Total Cholesterol Assay Kit
 Recommended Use: Laboratory Research Reagents

MANUFACTURER:

Cell Biolabs, Inc.
 5628 Copley Drive
 San Diego, CA 92111

EMERGENCY CONTACT:


+1 858 271 6500
 info@cellbiolabs.com

SECTION 2. HAZARDS IDENTIFICATION

Cholesterol Standard (Part No. 239001): One 50 μ L vial of a 10 mM cholesterol solution in ethanol

Classification:


Flammable liquids, Category 2 (H225)
 Eye irritation, Category 2A (H319)

| | |
|---|---|
| Pictogram |  |
| Signal Word | Danger |
| Hazard Statements: Highly flammable liquid and vapour (H225), Causes serious eye irritation (H319) | |
| Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Keep container tightly closed (P233), Ground/bond container and receiving equipment (P240), Use explosion-proof electrical/ventilating/lighting/equipment (P241), Use only non-sparking tools (P242), Take precautionary measures against static discharge (P243), Wash skin thoroughly after handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), If on skin or hair: Take off immediately all contaminated clothing (P303 + P361 + P353), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), If eye irritation persists: get medical attention (P337 + P313), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501). | |

Assay Diluent (5X) (Part No. 239002): One 100 mL bottle
Cholesterol Oxidase (Part No. 239004): One 200 µL vial

Classification:


Skin irritation, Category 2 (H315)
 Eye irritation, Category 2A (H319)

| | |
|--|---|
| Pictogram |  |
| Signal Word | Warning |
| Hazard Statements: Causes skin irritation (H315), Causes serious eye irritation (H319) | |
| Precautionary Statements: Wash skin thoroughly after handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF ON SKIN: wash with plenty of soap and water (P302 + P352), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), If skin irritation occurs: get medical attention (P332 + P313), If eye irritation persists: get medical attention (P337 + P313), Take off contaminated clothing and wash before reuse (P362). | |

Fluorescence Probe (Part No. 239005): One 300 µL vial in DMSO

Classification:

Flammable liquids, Category 4 (H227)
 Acute toxicity, Oral, Category 4 (H302)

| | |
|---|---|
| Pictogram |  |
| Signal Word | Warning |
| Hazard Statements: Combustible liquid (H227), Harmful if swallowed (H302). | |
| Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501). | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Cholesterol Standard (Part No. 239001): One 50 μ L vial of a 10 mM cholesterol solution in ethanol

| CHEMICAL NAME | CONCENTRATION | CAS # |
|---------------|---------------|---------|
| Ethanol | 99% | 64-17-5 |

Assay Diluent (5X) (Part No. 239002): One 100 mL bottle

| CHEMICAL NAME | CONCENTRATION | CAS # |
|---------------|---------------|---------|
| Cholic Acid | 25 mM | 81-25-4 |

Fluorescence Probe (Part No. 239005): One 300 μ L vial in DMSO

| CHEMICAL NAME | CONCENTRATION | CAS # |
|------------------------|---------------|---------|
| Dimethyl Sulfoxide | 100% | 67-68-5 |
| Proprietary Compound A | 10-15 mM | |

Cholesterol Oxidase (Part No. 239004): One 200 μ L vial

| CHEMICAL NAME | CONCENTRATION | CAS # |
|---------------|---------------|---------|
| Cholic Acid | 5 mM | 81-25-4 |

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO₂
- Special protective equipment: Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.

- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - Ethanol: LD50 Oral 7.060 mg/kg (rat), LC50 Inhalation 20000 ppm 10h (rat)
 - Cholic Acid: LD50 Oral 4950 mg/kg (mouse)
 - Dimethyl Sulfoxide:
 - LD50 Oral - rat - 14.500 mg/kg
 - LC50 Inhalation - rat - 4 h - 40250 ppm
 - LD50 Dermal - rabbit - > 5.000 mg/kg
 - All other hazardous components: no data available
- Skin corrosion/irritation
 - Ethanol: Irritating to skin 24h (rabbit)
 - All other hazardous components: no data available
- Serious eye damage/irritation
 - Ethanol: Mild eye irritation 24h Draize test (rabbit)
 - All other hazardous components: no data available
- Respiratory or skin sensitization: no data available
 - Ethanol: no data available
 - All other hazardous components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - Ethanol: no data available
 - Dimethyl Sulfoxide:
 - Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34.000 mg/l - 96 h, LC50 - Oncorhynchus mykiss (rainbow trout) - 35.000 mg/l - 96 h
 - Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27.500 mg/l
 - Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill)- > 400.000 mg/l - 96h
 - Proprietary Compound A: no data available
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION - IATA

- Hazard Class: Not Hazardous

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/01/2024