

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number:XPX-5006Product Name:OxiSelect™ Monoamine Oxidase Assay Kit, ColorimetricRecommended Use:Laboratory Research Reagents

MANUFACTURER:EMERGENCY CONTACT:Cell Biolabs, Inc.+1 858 271 65005628 Copley Driveinfo@cellbiolabs.comSan Diego, CA 92111500

SECTION 2. HAZARDS IDENTIFICATION

200X Colorimetric Probe (Part No. 239804): One vial - 55 µL

Classification:

Flammable liquids, Category 4 (H227) Acute toxicity, Oral, Category 4 (H302)

| Pictogram | | |
|--|---|--|
| Signal Word | Warning | |
| Hazard Statements | : Combustible liquid (H227), Harmful if swallowed (H302). | |
| Precautionary Statements : Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), In case of fire: use dry sand, dry chemnical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventialated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501). | | |

Hydrogen Peroxide (Part No. 234102): One 100 µL amber tube of an 8.82 M solution

Classification:

Acute toxicity, Oral, Category 4 (H302) Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318)



Acute aquatic toxicity, Category 3, H402

| Pictogram | |
|-----------|--|
| | |

Signal Word Danger

Hazard Statements: Harmful if swallowed (H302), Causes severe skin burns and eye damage (H314), Harmful to aquatic life (H402).

Precautionary Statements: Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: Remover person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physican. (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

<u>100X Tyramine</u> (Part No. 50001C): One 100 µL amber tube (substrate for MAO-A, MAO-B, and SSAO)

Classification:

Flammable liquids, Category 4 (H227)

| Pictogram | None | |
|---|---------|--|
| Signal Word | Warning | |
| Hazard Statements: Combustible liquid (H227) | | |
| Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking | | |
| (P210), Wear protective gloves/protective clothing/eye protection/face protection (P280), In case of | | |
| fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378). Store in a well- | | |

fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).

MAO-A Inhibitor (Part No. 50002C): One 50 µL amber tube of 20 mM Clorgyline solution

Classification:

Flammable liquids, Category 4 (H227) Acute toxicity, Oral, Category 3 (H301) Acute toxicity, Inhalation, Category 4 (H332) Acute toxicity, Dermal, Category 4 (H312)



| Pictogram | |
|-------------|--------|
| Signal Word | Danger |

Hazard Statements: Combustible liquid (H227), Toxic if swallowed (H301), Harmful in contact with skin or if inhaled (H312 + H332).

Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Avoid breathing dust/fume/gas/mist/vaoprs/spray (P261), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician (P301 + P310), IF ON SKIN: wash with plenty of soap and water (P302 + P352),

IF INHALED: Remover person to fresh air and keep comfortable for breathing. (P304 + P340), Call a POISON CENTER or doctor/physician if you feel unwell (P312), Rinse mouth (P330), Wash contaminated clothing before reuse (P363), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

MAO-B Inhibitor (Part No. 50003C): One 50 µL amber tube of 20 mM Pargyline solution

Classification:

Acute toxicity, Oral, Category 3 (H301)

| Pictogram | |
|----------------------|--|
| Signal Word | Danger |
| Hazard Statements | : Toxic if swallowed (H301). |
| when using this proc | ements : Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke duct (P270), IF SWALLOWED: Immediately call a POISON CENTER or |

doctor/physician (P301 + P310), Rinse mouth (P330), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

200X Colorimetric Probe (Part No. 239804): One vial – 55 µL



| CHEMICAL NAME | CONCENTRATION | CAS # |
|------------------------|---------------|---------|
| Dimethyl Sulfoxide | 100% | 67-68-5 |
| Proprietary Compound A | 10-15 mM | |

 $\underline{100X\ Tyramine}$ (Part No. 50001C): One 100 μL amber tube (substrate for MAO-A, MAO-B, and SSAO)

MAO-A Inhibitor (Part No. 50002C): One 50 µL amber tube of 20 mM Clorgyline solution

| CHEMICAL NAME | CONCENTRATION | CAS # |
|--------------------|---------------|---------|
| Dimethyl Sulfoxide | 100% | 67-68-5 |

Hydrogen Peroxide (Part No. 234102): One 100 µL amber tube of an 8.82 M solution

| CHEMICAL NAME | CONCENTRATION | CAS # |
|-------------------|---------------|-----------|
| Hydrogen Peroxide | 30 % | 7722-84-1 |

MAO-A Inhibitor (Part No. 50002C): One 50 µL amber tube of 20 mM Clorgyline solution

| CHEMICAL NAME | CONCENTRATION | CAS # |
|--------------------------|---------------|------------|
| Clorgyline Hydrochloride | 20 mM | 17780-75-5 |

MAO-B Inhibitor (Part No. 50003C): One 50 µL amber tube of 20 mM Pargyline solution

| CHEMICAL NAME | CONCENTRATION | CAS # |
|-------------------------|---------------|----------|
| Pargyline Hydrochloride | 20 mM | 306-07-0 |

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO2
- Special protective equipment: Self-contained breathing apparatus



SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available



• Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - Dimethyl Sulfoxide:
 - LD50 Oral rat 14.500 mg/kg
 - LC50 Inhalation rat 4 h 40250 ppm
 - LD50 Dermal rabbit > 5.000 mg/kg
 - Clorgyline Hydrochloride: LD50 Oral-rat-210mg/kg
 - Pargyline Hydrochloride: LD50 Oral-rat-250mg/kg
 - All other hazardous components: no data available
- Skin corrosion/irritation: no data available
- Serious eye damage/irritation: no data available
- Respiratory or skin sensitization: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - Dimethyl Sulfoxide:
 - Toxicity to fish: LC50 Pimephales promelas (fathead minnow) 34.000 mg/l 96 h, LC50 Oncorhynchus mykiss (rainbow trout) 35.000 mg/l 96 h
 - Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia pulex (Water flea) - 27.500 mg/l
 - Toxicity to algae: EC50 Lepomis macrochirus (Bluegill)- > 400.000 mg/l 96h
 - All other hazardous components: no data available
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION- IATA

• Not Hazardous

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available



SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/06/2024