

# Safety Data Sheet

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number:CBA-220Product Name:CytoSelect™ 96-Well Phagocytosis Assay (Red Blood Cell)Recommended Use:Laboratory Research Reagents

MANUFACTURER:EMERGENCY CONTACT:Cell Biolabs, Inc.+1 858 271 65005628 Copley Driveinfo@cellbiolabs.com

SECTION 2. HAZARDS IDENTIFICATION

San Diego, CA 92111

Lysis Buffer A (Part No. 122004): One 20 mL bottle

#### **Classification:**

Acute toxicity, Oral, Category 2 (H315) Eye irritation, Category 2 (H319) Specific target organ toxicity (single exposure) - Respiratory system, Category 3 (H335)

Pictogram		
Signal Word	Warning	

**Hazard Statements:** Causes skin irritation (H315), Causes serious eye irritation (H319), May cause respiratory irritation (H335).

**Precautionary Statements:** Avoid breathing dust/fume/gas/mist/vaoprs/spray (P261), Wash skin thoroughly after handling (P264), Use only outdoors or in a well-ventilated area (P271), IF ON SKIN: gently wash with plenty of soap and water (P302 + P350), IF INHALED: remove person to fresh air and keep comforable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), Call a POISON CENTER / doctor if you feel unwell (P312), If skin irriation occurs: get medical advice/attention (P332 + P313), If eye irriation persists: get medical advice/attention (P337 + P313), Take off contaminated clothing and wash before reuse (P362), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store locked up (P405),



Dispose of contents/container to an approved waste disposal plant (P501).

Lysis Buffer B (Part No. 122005): One 150 µL tube

#### **Classification:**

Acute toxicity, Oral, Category 4 (H302) Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 3, H402

Pictogram	
Signal Word	Danger

**Hazard Statements:** Harmful if swallowed (H302), Causes severe skin burns and eye damage (H314), Harmful to aquatic life (H402).

**Precautionary Statements:** Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: Remover person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physican. (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

<u>100X Substrate Solution</u> (Part No. 122005): One 150 µL amber tube.

#### **Classification:**

Flammable liquids, Category 3, (H226) Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318)



Pictogram	
Signal Word	Danger

**Hazard Statements:** Flammable liquid and vapor (H226), Causes severe skin burns and eye damage (H314), Causes serious eye damage (H318).

**Precautionary Statements:** Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Keep container tightly closed (P233), Ground/bond container adn receiving equipment (P240), Use explosion-proof electrical/ventilating/lighting/equipment (P241), Use only non-sparking tools (P242), Take precautionary measures against static discharge (P243), Wash skin thoroughly after handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: remove person to fresh air and keep comforable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), In case of fire: use dry sand, dry chemical or alcohol-resistant foam to extinguish (P370 + P378), Store in a well-ventilated place. Keep cool (P403 + P235), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

<u>Phagocytosis Inhibitor (Part No. 122006)</u>: One 20 µL amber tube of 2 mM Cytochalasin D in DMSO

#### **Classification:**

Flammable liquids, Category 4 (H227)

Pictogram	None	
Signal Word	Warning	
Hazard Statements: Combustible liquid (H227)		
Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking		
(P210), Wear protective gloves/protective clothing/eye protection/face protection (P280), In case of		
fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-		
ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste		
disposal plant (P501).		



#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Lysis Buffer A (Part No. 122004): One 20 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Compound B	100-250 mM	

Lysis Buffer B (Part No. 122005): One 150 µL tube

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Compound C	10-30%	

<u>100X Substrate Solution</u> (Part No. 122005): One 150 µL amber tube.

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Compound D	85-95%	

<u>Phagocytosis Inhibitor (Part No. 122006)</u>: One 20  $\mu$ L amber tube of 2 mM Cytochalasin D in DMSO

CHEMICAL NAME	CONCENTRATION	CAS #
DMSO	99%	67-68-5

#### SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO2
- Special protective equipment: Self-contained breathing apparatus

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

• Evacuate area



- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

# SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

# SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available



# SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
  - Proprietary Compound A: LD50 Oral 8.471 mg/kg (rat)
  - Proprietary Compound B: LD50 Oral 5.900 mg/kg (rat)
  - Proprietary Compound C: no data available
  - Proprietary Compound D: LD50 Oral 3.31 mg/kg (rat); LC50 Inhalation 5620 ppm (mouse); LC50 inhalation-4h-11,4 mg/l (rat); LD50 dermal-1.112 mg/kg (rabbit)
  - DMSO: LD50 Oral rat 14.500 mg/kg, LC50 Inhalation rat 4 h 40250 ppm, LD50 Dermal - rabbit - > 5.000 mg/kg
- Skin corrosion/irritation
  - Proprietary Compound A: no skin irritation (rabbit)
  - All other hazardous components: no data available
- Serious eye damage/irritation
  - Proprietary Compound A: no eye irritation (rabbit)
  - Proprietary Compound D: Corrosive (rabbit)
  - All other hazardous components: no data available
- Respiratory or skin sensitization
  - Proprietary Compound D: may cause skin sensitization
  - All other hazardous components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

# SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
  - Proprietary Compound A: Toxicity to fish: LC50 17.5000 mg/L in 96 hrs (Poecilia reticulata); Toxicity to Daphnia and other aquatic invertebrates: EC50 3.910 mg/L in 48 hrs (Daphnia magna)
  - Proprietary Compound D: LC50 1.0 mg/L in 96 hrs (rainbow trout); EC50 300.82 mg/L in 48 hrs (water flea)
  - DMSO: Toxicity to fish: LC50 34.000 mg/l 96 h (Pimephales promelas), LC50 35.000 mg/l 96 h (Oncorhynchus mykiss); Toxicity to daphnia and other aquatic invertebrates: EC50 27.500 mg/l (Daphnia pulex); Toxicity to algae: EC50 > 400.000 mg/l 96h (Lepomis macrochirus)
  - o All other hazardous components: no data available
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

# SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.



#### SECTION 14. TRANSPORT INFORMATION - IATA

• Hazard Class: Not Hazardous

#### SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

# **SECTION 16. OTHER INFORMATION**

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/26/2024