

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: CBA-5116
 Product Name: Autophagy ELISA Kit (LC3-II Quantitation)
 Recommended Use: Laboratory Research Reagents

MANUFACTURER:

Cell Biolabs, Inc.
 5628 Copley Drive
 San Diego, CA 92111

EMERGENCY CONTACT:

+1 858 271 6500
 info@cellbiolabs.com

SECTION 2. HAZARDS IDENTIFICATION

100X Cytosolic LC3 Removal Reagent (Part No. 51151A): One 1 mL tube

Classification:

Flammable liquids, Category 4 (H227)
 Acute toxicity, Oral, Category 4 (H302)

Pictogram	
Signal Word	Warning
Hazard Statements: Combustible liquid (H227), Harmful if swallowed (H302)	
Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER / doctor if you feel unwell (P301 + P312), Rinse mouth (P330), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).	

Anti-LC3 Antibody (Part No. 51162C): One 50 µL tube

Classification:

Acute toxicity, Oral, Category 2 (H300)
 Acute toxicity, Dermal, Category 1 (H310)
 Specific target organ toxicity - repeated exposure, Oral, Category 2 (H373)
 Acute aquatic toxicity, Category 1 (H400)
 Chronic aquatic toxicity, Category 1 (H410)

Pictogram	
Signal Word	Danger
<p>Hazard Statements: Fatal if swallowed or in contact with skin (H300 + H310), May cause damage to organs (Brain) through prolonged or repeated exposure if swallowed (H373), Very toxic to aquatic life with long lasting effects (H410),</p>	
<p>Precautionary Statements: Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor (P302 + P350 + P310), Get medical advice/attention if you feel unwell (P314), Take off contaminated clothing and wash before reuse (P362), Collect spillage (P391), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).</p>	

Assay Diluent (Part No. 310804): One 50 mL bottle

10X Wash Buffer (Part No. 310806): One 100 mL bottle

Recombinant LC3 Standard (Part No. 51163D): One 100 µL tube of 1.0 µg/mL recombinant LC3 in TBS plus BSA.

Classification:

Acute toxicity, Oral, Category 2 (H300)
 Acute toxicity, Inhalation, Category 2 (H330)
 Acute toxicity, Dermal, Category 1 (H310)
 Specific target organ toxicity - repeated exposure, Oral, Category 2 (H373)
 Acute aquatic toxicity, Category 1 (H400)
 Chronic aquatic toxicity, Category 1 (H410)

Pictogram	
Signal Word	Danger
<p>Hazard Statements: Fatal if swallowed, in contact with skin or if inhaled (H300 + H310 + H330), May cause damage to organs through prolonged exposure (H373), Very toxic to aquatic life with long lasting effects (H410).</p>	
<p>Precautionary Statements: Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), Wear respiratory protection (P284), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor (P302 + P350 + P310), IF INHALED: remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340 + P310), Get medical advice/attention if you feel unwell (P314), Take off contaminated clothing and wash before reuse (P362), Collect spillage (P391), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).</p>	

Stop Solution (Part No. 310808): One 12 mL bottle

Classification:

Corrosive to metals, Category 1 (H290)

Skin corrosion, Category 1A (H314)

Serious eye damage, Category 1 (H318)

Pictogram	
Signal Word	Danger
<p>Hazard Statements: May be corrosive to metals (H290), Causes severe skin burns and eye damage (H314).</p>	
<p>Precautionary Statements: Keep only in original container (P234), Wash skin thoroughly after</p>	

handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), Absorb spillage to prevent material damage (P390), Store locked up (P405), Store in corrosive resistant stainless steel container with a resistant inner liner (P406), Dispose of contents/container to an approved waste disposal plant (P501).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

100X Cytosolic LC3 Removal Reagent (Part No. 51151A): One 1 mL tube

CHEMICAL NAME	CONCENTRATION	CAS #
Proprietary Reagent A	<5%	
DMSO	>95%	67-68-5

Rabbit Anti-LC3 Antibody (Part No. 51162C): One 50 µL tube

CHEMICAL NAME	CONCENTRATION	CAS #
Sodium Azide	15 mM	26628-22-8

Assay Diluent (Part No. 310804): One 50 mL bottle

10X Wash Buffer (Part No. 310806): One 100 mL bottle

Recombinant LC3 Standard (Part No. 51163D): One 100 µL tube of 1.0 µg/mL recombinant LC3 in TBS plus BSA.

CHEMICAL NAME	CONCENTRATION	CAS #
Thimerosal	0.02%	54-64-8

Stop Solution (Part No. 310808): One 12 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS #
Sulfuric Acid	0.5 N	7664-93-9

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT

BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO₂
- Special protective equipment: Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available

- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - Proprietary Reagent A: LD50 Oral >50 mg/kg (rat)
 - DMSO: LD50 Oral - rat - 14,500 mg/kg, LC50 Inhalation - rat - 4 h - 40250 ppm
 - Thimerosal: LD50 Oral 75 mg/kg (rat); LD50 Subcutaneous 98 mg/kg (rat)
 - Sulfuric Acid: LD50 Oral 2,140 mg/kg (rat); LC50 Inhalation 2 hr, 510 mg/m³ (rat)
- Skin corrosion/irritation
 - Sulfuric Acid: Extremely corrosive and destructive to tissue (rabbit)
 - All other components: no data available
- Serious eye damage/irritation
 - Thimerosal: Mild eye irritation (rabbit)
 - Sulfuric Acid: Severe eye irritation (rabbit)
 - All other components: no data available
- Respiratory or skin sensitization:
 - Thimerosal: prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals
 - All other components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - DMSO: Toxicity to fish: LC50 34,000 mg/l - 96 h (Pimephales promelas), LC50 35,000 mg/l - 96 h (Oncorhynchus mykiss); Toxicity to daphnia and other aquatic invertebrates: EC50 27,500 mg/l (Daphnia pulex); Toxicity to algae: EC50 > 400,000 mg/l - 96h (Lepomis macrochirus) Sodium Deoxycholate: Toxicity to fish: LC50 115 mg/l 48h (Oryzias latipes)

- Sulfuric Acid: LC50 42 mg/L in 96 hrs (mosquito fish); mortality NOEC 19.5 mg/L in 96 hrs (rainbow trout); mortality LOEC 4.6 mg/L in 8 days (fathead minnow); growth inhibition LOEC 2.68 mg/L in 6 days (algae)
- Mobility: no data available
- Biodegradation:
 - Sulfuric Acid: no data available
- Bioaccumulation: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION - IATA

- Hazard Class: 8
- Subsidiary Class: none
- Packing Group: II
- UN-No: 2796

NOTE: THIS PRODUCT IS SHIPPED AS "DANGEROUS GOODS IN EXCEPTED QUANTITIES" UNDER IATA REGULATION 2.6.2.2.

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 02/11/2025