

## Safety Data Sheet

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-675  
 Product Name: Hydroxyproline Assay Kit  
 Recommended Use: Laboratory Research Reagents

**MANUFACTURER:**

Cell Biolabs, Inc.  
 5628 Copley Drive  
 San Diego, CA 92111

**EMERGENCY CONTACT:**


+1 858 271 6500  
 info@cellbiolabs.com

### SECTION 2. HAZARDS IDENTIFICATION

Chloramine T Reagent (Part No. 267503): One 600 µL vial

**Classification:**

Skin corrosion, Category 1B (H314)  
 Serious eye damage/eye irritation, Category 1 (H318)  
 Respiratory sensitization, Category 1 (H334)  
 Acute aquatic toxicity, Category 2 (H401)  
 Chronic aquatic toxicity, Category 2 (H411)

<b>Pictogram</b>	
<b>Signal Word</b>	Danger
<p><b>Hazard Statements:</b> Causes severe skin burns and eye damage (H314), May cause allergy or asthma symptoms or breathing difficulties if inhaled (H334), Toxic to aquatic life with long lasting effects (H411).</p>	
<p><b>Precautionary Statements:</b> Do not breathe dust or mist (P260), Wash skin thoroughly after handling (P264), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), In case of inadequate ventilation wear respiratory protection (P285), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304 + P340), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338), Immediately call a</p>	


POISON CENTER or doctor/physician (P310), Wash contaminated clothing before reuse (P363), Collect spillage (P391), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

2X Ehrlich's Concentrate (Part No. 267504): One 5 mL bottle

**Classification:**

Flammable liquids, Category 4 (H227)

Skin sensitization, Sub-category 1B (H317)

<b>Pictogram</b>	
<b>Signal Word</b>	Warning
<b>Hazard Statements:</b> Combustible liquid (H227), May cause an allergic skin reaction (H317).	
<b>Precautionary Statements:</b> Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Avoid breathing dust/fume/gas/mist/vapors/spray (P261), Contaminated work clothing must not be allowed out of the workplace (P272), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF ON SKIN: Wash with plenty of soap and water (P302 + P352), If skin irritation or rash occurs: Get medical advice/ attention (P333 + P313), Wash contaminated clothing before reuse (P363), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place. Keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).	

Ehrlich's Diluent (Part No. 267505): One 6 mL bottle

**Classification:**

Flammable liquids, Category 2 (H225)

Oxidizing liquids, Category 1 (H271)

Corrosive to metals, Category 1 (H290)


Acute toxicity, Oral, Category 4 (H302)

Skin corrosion, Category 1B (H314)

Serious eye damage, Category 1 (H318)

Specific target organ toxicity - repeated exposure, oral, Category 2, Gastrointestinal tract (H373)

Specific target organ toxicity - single exposure, Category 3, Central nervous system (H336)

<b>Pictogram</b>	
<b>Signal Word</b>	Danger
<p><b>Hazard Statements:</b> Highly flammable liquid and vapour (H225), May cause fire or explosion; strong oxidizer (H271), May be corrosive to metals (H290), Harmful if swallowed (H302), Causes severe skin burns and eye damage (H314), Causes serious eye damage (H318), May cause drowsiness or dizziness (H336), May cause damage to organs (thyroid) through prolonged or repeated exposure (H373).</p>	
<p><b>Precautionary Statements:</b> Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Keep/Store away from clothing/combustible materials (P220), Take any precaution to avoid mixing with combustibles (P221), Keep container tightly closed (P233), Keep only in original container (P234), Ground/bond container and receiving equipment (P240), Use explosion-proof electrical/ventilating/lighting/equipment (P241), Use only non-sparking tools (P242), Take precautionary measures against static discharge (P243), Do not breathe dust or mist (P260), Avoid breathing dust/fume/gas/mist/vapors/spray (P261), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Wear protective gloves/protective clothing/eye protection/face protection (P280), Wear fire/flame resistant/retardant clothing (P283), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): Take off immediately all contaminated clothing (P303 + P361 + P353), IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. (P305 + P351 + P338 + P310), IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes (P306 + P360), Get medical advice/attention if you feel unwell (P314), If eye irritation persists: get medical advice/attention (P337 + P313), Wash contaminated clothing before reuse (P363), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), In case of major fire and large quantities: Evacuate area. Fight fire remotely due to risk of explosion (P371 + P380 + P375), Absorb spillage to prevent material damage (P390), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store in a well-ventilated place and keep cool (P403 + P235), Store locked up (P405), Store in corrosive resistant stainless steel container with a resistant inner liner (P406), Dispose of contents/container to an approved waste disposal plant (P501).</p>	

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chloramine T Reagent (Part No. 267503): One 600 µL vial

CHEMICAL NAME	CONCENTRATION	CAS #
Chloramine T	<20%	149358-73-6

2X Ehrlich's Concentrate (Part No. 267504): One 5 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS #
DMSO	99%	67-68-5
Proprietary Reagent B	<1.5 M	

Ehrlich's Diluent (Part No. 267506): One 5 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS #
Isopropanol	<70%	67-63-0
Proprietary Reagent A	<30%	

#### SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

#### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO<sub>2</sub>
- Special protective equipment: Self-contained breathing apparatus

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

#### SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

## **SECTION 10. STABILITY AND REACTIVITY**

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

## **SECTION 11. TOXICOLOGICAL INFORMATION**

- Acute toxicity
  - Chloramine T: no data available
  - DMSO: LD50 Oral - rat - 14.500 mg/kg, LC50 Inhalation - rat - 4 h - 40250 ppm, LD50 Dermal - rabbit - > 5.000 mg/kg
  - Proprietary Reagent B: LD50 Oral - Rat - female - > 2,000 mg/kg
  - Isopropanol: LD50 Oral: 5.045mg/kg (rat) remarks: behavioral: altered sleep time (including change in righting reflex), behavioral: somnolence (general depressed activity, LC50 Inhalation: 16000ppm 8h (rabbit), LD50 Dermal 12.800mg/kg (rabbit)
  - Proprietary Reagent A: LD50 Oral – rat – 2,140 mg/kg
- Skin corrosion/irritation
  - Chloramine T: causes skin burns
  - DMSO: slight skin irritation 4h (rabbit)

- Proprietary Reagent B: no skin irritation (reconstructed human epidermis)
- Isopropanol: mild skin irritation (rabbit)
- Proprietary Reagent A: extremely corrosive and destructive to tissue (rabbit)
- Serious eye damage/irritation
  - Chloramine T: causes eye burns
  - DMSO: slight eye irritation 24h (rabbit)
  - Proprietary Reagent B: non-corrosive 4h
  - Isopropanol: eye irritation 24h (rabbit)
  - Proprietary Reagent A: causes serious eye damage
- Respiratory or skin sensitization
  - Chloramine T: no data available
  - DMSO: Guinea pig and mouse local lymph node negative
  - Proprietary Reagent B: Mouse local lymph node positive
  - Isopropanol: no data available
  - Proprietary Reagent A: no data available
- Germ cell mutagenicity
  - Chloramine T: no data available
  - DMSO: Salmonella typhimurium, Chinese hamster ovary cells and rat negative
  - Proprietary Reagent B: Escherichia coli/Salmonella typhimurium negative
  - Isopropanol: no data available
  - Proprietary Reagent A: Salmonella typhimurium negative
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

## SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
  - Chloramine T: Toxicity to fish: LC50 31 mg/l-96h (Poecilia reticulata), flow through test LC50 20,6-26,2 mg/l-96h (Oncorhynchus mykiss), static test LC50 6,52-7,51 mg/l-96h (Pimephales promelas), static test LC50 1,63-2,19 mg/l-96h (Oncorhynchus mykiss); Toxicity to algae: EC50 80 mg/l-144h
  - DMSO: Toxicity to fish: LC50 34.000 mg/l - 96 h (Pimephales promelas), LC50 35.000 mg/l - 96 h (Oncorhynchus mykiss); Toxicity to daphnia and other aquatic invertebrates: EC50 27.500 mg/l (Daphnia pulex); Toxicity to algae: EC50 > 400.000 mg/l - 96h (Lepomis macrochirus)
  - Proprietary Reagent B: Toxicity to fish: LC50 45.7 mg/l-96h (Pimephales promelas (fathead minnow)); Toxicity to daphnia and other aquatic invertebrates: semi-static test EC50 1.58 mg/l-48h (Daphnia magna (Water flea)); Toxicity to algae: static test ErC50 72.7 mg/l-72h (Desmodesmus subspicatus (green algae))
  - Isopropanol: Toxicity to fish: LC50 9.640,00mg/l 96h (Pimephales promelas). Toxicity to Daphnia and other aquatic invertebrates: EC50 5.102,00mg/dl 24h (Daphnia magna); Immobilization EC50: 6.851mg/l 24h (Daphnia magna). Toxicity to algae: EC50 >2.000,00 72h (Desmodesmus subspicatus); EC50 >1.000,00 24h (Algae)
  - Proprietary Reagent A: LC50 42 mg/L in 96 hrs (mosquito fish); mortality NOEC 19.5 mg/L in 96 hrs (rainbow trout); mortality LOEC 4.6 mg/L in 8 days (fathead minnow); growth inhibition LOEC 2.68 mg/L in 6 days (algae)

- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

### **SECTION 14. TRANSPORT INFORMATION - IATA**

- Hazard Class: 3
- Subsidiary Class: none
- Packing Group: II
- UN-No: UN1219
  
- Hazard Class: 8
- Subsidiary Class: none
- Packing Group: II
- UN-No: UN2796

NOTE: THIS PRODUCT IS SHIPPED AS "DANGEROUS GOODS IN EXCEPTED QUANTITIES" UNDER IATA REGULATION 2.6.2.2.

### **SECTION 15. REGULATORY INFORMATION**

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

### **SECTION 16. OTHER INFORMATION**

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/05/2024