

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-321
 Product Name: OxiSelect™ DNA DSB Staining Kit
 Recommended Use: Laboratory Research Reagents

MANUFACTURER:

Cell Biolabs, Inc.
 5628 Copley Drive
 San Diego, CA 92111

EMERGENCY CONTACT:


+1 858 271 6500
 info@cellbiolabs.com

SECTION 2. HAZARDS IDENTIFICATION

Anti-Phospho-Histone H2A.X (Ser 139) Antibody (100X) (Part No. 232101): One tube – 100 µL

Classification:

Acute toxicity, Oral, Category 2 (H300)
 Acute toxicity, Dermal, Category 1 (H310)
 Specific target organ toxicity - repeated exposure, Oral, Category 2 (H373)
 Acute aquatic toxicity, Category 1 (H400)
 Chronic aquatic toxicity, Category 1 (H410)


Pictogram	
Signal Word	Danger
<p>Hazard Statements: Fatal if swallowed or in contact with skin (H300 + H310), May cause damage to organs (Brain) through prolonged or repeated exposure if swallowed (H373), Very toxic to aquatic life with long lasting effects (H410).</p>	
<p>Precautionary Statements: Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor (P302 + P350 + P310), Get medical advice/attention if you feel unwell (P314), Take off contaminated clothing and wash before</p>	

reuse (P362), Collect spillage (P391), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

DNA DSB Inducer (20 mM) (Part No. 232103): One tube – 50 µL of 20 mM Etoposide in methanol.

Classification:

Flammable liquids, Category 4 (H227)
Acute toxicity, Oral, Category 4 (H302)
Carcinogenicity, Category 1B (H350)

Pictogram	
Signal Word	Danger
Hazard Statements: Combustible liquid (H227), Harmful if swallowed (H302), May cause cancer (H350).	
Precautionary Statements: Obtain special instructions before use (P201), Do not handle until all safety precautions have been read and understood (P202), Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER / doctor if you feel unwell (P301 + P312), If exposed or concerned: Get medical advice/attention (P308 + P313), Rinse mouth (P330), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Anti-Phospho-Histone H2A.X (Ser 139) Antibody (100X) (Part No. 232101): One tube – 100 µL

CHEMICAL NAME	CONCENTRATION	CAS #
Sodium Azide	0.05%	26628-22-8

DNA DSB Inducer (20 mM) (Part No. 232103): One tube – 50 µL of 20 mM Etoposide in DMSO

CHEMICAL NAME	CONCENTRATION	CAS #
DMSO	100%	67-68-5
Etoposide	20 mM	33419-42-0

SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO₂
- Special protective equipment: Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available

- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - Sodium Azide: No data available
 - DMSO: LD50 Oral - rat - 14.500 mg/kg, LC50 Inhalation - rat - 4 h - 40250 ppm, LD50 Dermal - rabbit - > 5.000 mg/kg
 - Etoposide: LD50 Oral-rat-1.784 mg/kg (rat);
- Skin corrosion/irritation: no data available
- Serious eye damage/irritation: no data available
- Respiratory or skin sensitization: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - Sodium Azide: no data available, harmful to aquatic life with long lasting effects.
 - DMSO: Toxicity to fish: LC50 34.000 mg/l - 96 h (Pimephales promelas), LC50 35.000 mg/l - 96 h (Oncorhynchus mykiss); Toxicity to daphnia and other aquatic invertebrates: EC50 27.500 mg/l (Daphnia pulex); Toxicity to algae: EC50 > 400.000 mg/l - 96h (Lepomis macrochirus)
 - Etoposide: no data available
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION - IATA

- Hazard Class: Not Hazardous

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/01/2024